

# Little Redfish / Walton

Aquatic plant data collected on May 4, 2011

Percent area covered with aquatic vegetation (PAC, %)	1.0
Percent of lake's volume filled with vegetation (PVI, %)	0.3
Average emergent plant biomass (kg wet wt/m <sup>2</sup> )	0.4
Average floating-leaved plant biomass (kg wet wt/m <sup>2</sup> )	0.0
Average submersed plant biomass (kg wet wt/m <sup>2</sup> )	0.0
Average width of emergent and floating-leaved zone (ft.)	4.8
Average lake depth (m)	1.1

Frequency that plant species occur in 5 evenly spaced transects around the lake.

\* Indicates non-native plant species

<u>Common Name</u>	<u>Plant Species</u>	<u>Frequency (%)</u>
Sargassum	<i>Sargassum spp.</i>	100
salt-bush	<i>Baccharis spp.</i>	80
coinwort	<i>Centella asiatica</i>	80
haspan flatsedge	<i>Cyperus haspan</i>	80
rush fuirena	<i>Fuirena scirpoidea</i>	80
duck-potato	<i>Sagittaria lancifolia</i>	80
sand cordgrass	<i>Spartina bakeri</i>	80
sawgrass	<i>Cladium jamaicense</i>	60
water-pennywort	<i>Hydrocotyle umbellata</i>	60
shore rush	<i>Juncus marginatus</i>	60
black rush	<i>Juncus roemerianus</i>	40
large-headed rush	<i>Juncus megacephalus</i>	40
wax myrtle	<i>Myrica cerifera</i>	40
common reed	<i>Phragmites australis</i>	40
buttonbush	<i>Cephalanthus occidentalis</i>	20
spikerushes	<i>Eleocharis spp.</i>	20
swamp rosemallow	<i>Hibiscus grandiflorus</i>	20
torpedograss*	<i>Panicum repens</i>	20
Chinese tallow*	<i>Sapium sebiferum</i>	20
sea purslane	<i>Sesuvium spp.</i>	20
cat-tail	<i>Typha spp.</i>	20